

Notice of Allowability

Application No.

10/757,417

Examiner

Merrick Dixon

Applicant(s)

OHNISHI ET AL.

Art Unit

1774

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 12-20-04.
2. ☒ The allowed claim(s) is/are 1,4-6 and 8-10.
3. ☒ The drawings filed on 15 January 2004 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 1-15-04 & 7-6-04
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


MERRICK DIXON
PRIMARY EXAMINER

Art Unit: 1774

15

The instant application has been examined. Claims 1,4-6 and 8-10, renumbered 1-7 are allowed.

16

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

In The claims:

In claim 8, lines 3-4, the phrase (including the brackets), " (moisture permeability measuring method for construction materials)" has been deleted.

In claim 9, line 3, the phrase (including the brackets), "(fiber board)" has been deleted.

In claim 10, line 3, the phrase (including the brackets), "(fiber board)' has been deleted.

17

The following is an examiner's statement of reasons for allowance: The claimed invention is deemed unobvious over the cited art of record because such art does not teach or reasonably suggest the overall aspects of a fiber board of 600 to 900 kg/ m sub 3, comprising kenaf fibers having an average length of 10 to 200 mm with an average diameter being set in a range of 10 to 300 micron , impregnated with, phenol resin ,

Art Unit: 1774

thermosetting adhesive agent, having an average molecular weight of 400 to 700, containing 10 to 40 % by weight of a monomer and 60 to 90 % by weight of a polymer having a molecular weight of 200 to 2000 in combination with the pH of the adhesive agent is set to not more than 10.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

17

Applicants who wish to send a facsimile (draft copies) for the examiner's immediate review can do so by using the Examiner's personal fax number at 571-273-1520. The faxing of all papers must conform with the notice published in the Official Gazette, 1096 O.G. 30 (November 15, 1989). **NOTE: All facsimiles sent to the examiner's personal fax number should be in draft-forms and will be treated as informal.**

Same facsimiles will not be entered in the related applications unless otherwise agreed and noted by the examiner.

The fax number for all other fascimile is 703-872-9306.

Information about the **status of an application** may be obtained from the Patent Information Retrieval system (**Private PAIR**).

Application/Control Number: 10/757,417
Art Unit: 1774

Page 4

Status inquires for **published applications** may be retrieved from either **Private PAIR** or **Public PAIR**. Questions about the PAIR system should be directed to the Electronic Business Center at **866-217-9197**.

Any questions concerning the instant communication should be directed to Examiner Dixon, at 571-272-1520, Mondays to Thursdays, between 12 noon and 8 PM, eastern time . The examiner's supervisor, Mrs. Rena Dye, can be reached at 571-272-3186.

A handwritten signature in black ink, appearing to read 'Merrick Dixon', with a stylized, flowing script.

Merrick Dixon

Primary Examiner

Group 1700